

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
17 March 2005 (17.03.2005)

PCT

(10) International Publication Number
WO 2005/024790 A2

(51) International Patent Classification⁷:

G11B

(21) International Application Number:

PCT/JP2004/012865

(22) International Filing Date: 30 August 2004 (30.08.2004)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

2003-313079 4 September 2003 (04.09.2003) JP

(71) Applicant (for all designated States except US): **CANON KABUSHIKI KAISHA** [JP/JP]; 3-30-2, Shimomaruko, Ohta-ku, Tokyo 1468501 (JP).

(72) Inventor; and

(75) Inventor/Applicant (for US only): **KIMURA, Koji** [JP/JP]; c/o Canon Kabushiki Kaisha, 3-30-2, Shimomaruko, Ohta-ku, Tokyo 1468501 (JP).

(74) Agent: **OHTSUKA, Yasunori**; 7th Fl., Shuwa Kioicho Park Bldg., 3-6, Kioicho, Chiyoda-ku, Tokyo 1020094 (JP).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.


(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

— without international search report and to be republished upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: STORAGE DEVICE, CARTRIDGE, AND CARTRIDGE MANUFACTURING METHOD



(57) Abstract: The object of the invention is to provide a storage device represented by a removable hard disk from which a cartridge having a storage medium is removable, to which cartridges having different specification sizes of the outer shapes can be applied. A cartridge of this invention is detachably loaded in a holder portion for a storage device outside a computer or a storage device incorporated in a computer, and has a storage medium. The cartridge includes a groove which engages with a locking portion provided to the holder portion to releasably lock the cartridge. The groove is formed at a predetermined distance in an inserting/removing direction from an end of the cartridge. This distance is set common for another cartridge which is detachably loaded in the holder portion and has a length different from that of the cartridge in the inserting/removing direction.



WO 2005/024790 A2

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
17 March 2005 (17.03.2005)


PCT

(10) International Publication Number
WO 2005/024790 A3

- (51) International Patent Classification⁷: **G11B 33/12**, 23/03, 25/04
- (21) International Application Number: **PCT/JP2004/012865**
- (22) International Filing Date: 30 August 2004 (30.08.2004)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data: 2003-313079 4 September 2003 (04.09.2003) JP
- (71) Applicant (for all designated States except US): **CANON KABUSHIKI KAISHA [JP/JP]**; 3-30-2, Shimomaruko, Ohta-ku, Tokyo 1468501 (JP).
- (72) Inventor; and
- (75) Inventor/Applicant (for US only): **KIMURA, Koji [JP/JP]**; c/o Canon Kabushiki Kaisha, 3-30-2, Shimomaruko, Ohta-ku, Tokyo 1468501 (JP).
- (74) Agent: **OHTSUKA, Yasunori**; 7th Fl., Shuwa Kioicho Park Bldg., 3-6, Kioicho, Chiyoda-ku, Tokyo 1020094 (JP).
- (81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).
- Published:
— with international search report
- (88) Date of publication of the international search report: 4 August 2005

[Continued on next page]

(54) Title: STORAGE DEVICE, CARTRIDGE, AND CARTRIDGE MANUFACTURING METHOD



(57) Abstract: The object of the invention is to provide a storage device represented by a removable hard disk from which a cartridge having a storage medium is removable, to which cartridges having different specification sizes of the outer shapes can be applied. A cartridge of this invention is detachably loaded in a holder portion for a storage device outside a computer or a storage device incorporated in a computer, and has a storage medium. The cartridge includes a groove which engages with a locking portion provided to the holder portion to releasably lock the cartridge. The groove is formed at a predetermined distance in an inserting/removing direction from an end of the cartridge. This distance is set common for another cartridge which is detachably loaded in the holder portion and has a length different from that of the cartridge in the inserting/removing direction.

WO 2005/024790 A3



For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.